


**DLDT Series**

**CALIBER LED TAPE LIGHT**

**DESCRIPTION**

From accent lighting to full-power cove lighting, from kitchen under-cabinet to robust exterior lighting, we manufacture the right linear LED light for every application. Color temperatures range from warm (2700K) to near daylight (5000k), and everything in between.



**ORDERING MATRIX**

DLDT	STYLE	CCT	IP - LUMENS /FT		ENGTH	CONNECTOR (If custom length)
DLDT	CALIBER  Voltage: 24vdc Wattage:6.0W/ft	2700K	20	67	16 - 16 FEET  CUSTOM LENGTH	BW6- Bare Wire 6 inch
		3000K	709	638		BW__ - - Bare Wire Custom Length
		3500K	700	630		BRL- Barrel
		4000K	756	680		NONE
		5000K	833	750		
		5000K	838	754		

**DLDT Series**


**CALIBER LED TAPE LIGHT**

**PERFORMANCE DETAILS**

<b>Materials</b>	Plastic
<b>Dimensions</b>	10mm wide
<b>Input Voltage</b>	24
<b>Wattage Per Foot</b>	6
<b>Lumens Per Foot</b>	773
<b>LED Chip</b>	2835

<b>CRI</b>	90
<b>Mounting</b>	In channel
<b>Color Temperature</b>	Ranges from 27k to 50k
<b>Dimming capability</b>	Per Driver
<b>Certifications</b>	UL
<b>Beam Angle</b>	115
<b>Max Run</b>	16.4 feet
<b>Lumen per Watt</b>	128
<b>Cut Interval</b>	3.94 Inch

**LINE DRAWINGS**



**TEMPERATURE RATINGS**


	Min	Max
Ambient Operating Temp - Surface	-4°F	130°F
Storage Temp	-4°F	140°F
Installation Temp	50°F	100°F

**DLDT Series**


**CALIBER LED TAPE LIGHT**

**IES INFORMATION**


**DLDT-C-27-20**




**DLDT-C-27-67**



**DLDT-C-27-30-20**




**DLDT-C-27-30-67**




# LED TAPE LIGHT

## IP RATING OPTIONS




## CONNECTION OPTIONS




- BW6-6" inch standard soldering leads
- BRL - Barrel Connector
- NONE - Tape light provided with no connector
- CLIPS - Clips provided for field cut and field installed connector


## CHANNEL OPTIONS




TALL SURFACE




SHALLOW SURFACE




FULL SURFACE




CURVE45 SURFACE




CORNER45 SURFACE



TALL RECESSED



SHALLOW RECESSED



FULL RECESSED

## LOW VOLT TRANSFORMERS



NON DIMMING IP20



UNIVERSAL DIMMING IP20



UNIVERSAL DIMMING IP67