

DLDT Series
RGBW LED TAPE LIGHT
DESCRIPTION

From accent lighting to full-power cove lighting, from kitchen under-cabinet to robust exterior lighting, this tape light is perfect wherever multiple colors are needed.


ORDERING MATRIX

DLDT	STYLE	CCT	IP - LUMENS /FT		ENGTH	CONNECTOR (If custom length)
DLDT	RGBW Voltage: 24vdc Wattage: up to 6.0W/ft	RED GREEN BLUE 3000K	20 30 106 21 103	67 27 95 19 93	16 - 16 FEET CUSTOM LENGTH	BW6- Bare Wire 6 inch BW__ - - Bare Wire Custom Length BRL- Barrel Connector 6 inch wire CLIPS NONE

DLDT Series


RGBW LED TAPE LIGHT

PERFORMANCE DETAILS

Materials	Plastic
Dimensions	10mm wide
Input Voltage	24
Wattage Per Foot	1.5 per color
Lumens Per Foot	60
LED Chip	2835


CRI	90
Mounting	In channel
Operating temperature	0-100F
Color Temperature	Rgb, 30k
Dimming capability	Per Driver
Certifications	UL
Beam Angle	115
Max Run	15 feet
Lumen per Watt	12.5
Cut Size	1.97 Inch

LINE DRAWINGS




LED TAPE LIGHT

IP RATING OPTIONS




CONNECTION OPTIONS




- BW6-6" inch standard soldering leads
- BRL - Barrel Connector
- NONE - Tape light provided with no connector
- CLIPS - Clips provided for field cut and field installed connector


CHANNEL OPTIONS




TALL SURFACE




SHALLOW SURFACE




FULL SURFACE




CURVE45 SURFACE




CORNER45 SURFACE



TALL RECESSED



SHALLOW RECESSED



FULL RECESSED

LOW VOLT TRANSFORMERS



NON DIMMING IP20



UNIVERSAL DIMMING IP20



UNIVERSAL DIMMING IP67